- For agricultural and domestic use.
- Special formulation with rubber feel and resistant to low temperatures.
- Highly flexible and very easy to use.
- Good chemical resistance associated with
- PVC's resistance chart.
- Withstands temperatures between -25°C and 70°C.
- Easy to recycle once its useful life has ended.









ESTIC AGRIC

AGRICULTURAI USE

) (

ADVERSE SCENARIO

HIGH QUALITY

Cd-Pb-Ba

Applications

- Rural areas with low temperatures.
- Farms and livestock facilities in general.

	INT ø mm	INT ø in	EXT ø mm	WEIGHT g/m	OPERATING PRESSURE bar	MINIMUM BURST PRESSURE bar	ROLL LENGTH m
	10	3/8"	14	100	3.5	10	50
	12	1/2"	16	116	3.0	8.5	50
	15	5/8"	19	141	2.5	7	50
	20	3/4"	25	233	2.2	6.6	50
	25	1"	31	348	2.2	6.6	50
	30	1″ ¹/8	38	564	2.2	6.6	50
	35	1″³/e	44	737	2.2	6.6	50
	40	1″ ⁵ /8	50	933	2.2	6.6	50
	45	1" 3/4	56	1152	2.2	6.6	50
	51	2"	62	1393	2.2	6.6	50
	60	2" 1/32	72	1389	2	6	25
Droceure at room temperature in Jahoratony / Neminal values without considering manufacturing telepances							

OPERATING

MINIMIIM

Pressure at room temperature in laboratory / Nominal values without considering manufacturing tolerances.

Depending on technical developments, specifications may be modified without advance notice being given.

Consult us for other diameters, colours and features. Ask our Sales Department about the minimum purchase amounts assigned to non-standard diameters

257

