


Mallatrans® EVA

Hose manufactured by extruding polyethylene components. Internally reinforced with a highly-resistant, polyester thread mesh.



Features

- For food use in accordance with European regulations EC 1935/2004 and EU 10/2011.
- Highly resistant to breakage when extended.
- Highly flexible and easy to handle.
- Free from halogens.
- Transparent so the materials transported are always visible.
- Hose with good chemical resistance associated with polyethylene's usual properties.
- Withstands temperatures between -10°C and 60°C.



FOOD USE



INDUSTRIAL USE



AGRICULTURAL USE



HIGH PRESSURES



HIGH QUALITY CONTROL



FREE FROM Cd / Pb / Ba

Applications

- ▶ Transfer of liquid food products that require food simulants A, B and C in OM2 conditions in accordance with Regulation EU 10/2011, such as wine, must, beer, vinegar and alcoholic liquids up to 20°.
- ▶ Food product processing industry.
- ▶ Drink dispensers.

INT Ø mm	INT Ø in	EXT Ø mm	WEIGHT g/m	OPERATING PRESSURE bar	MINIMUM BURST PRESSURE bar	BENDING RADIUS mm
6	1/4"	12	104	20	60	25
7	9/32"	14	142	20	60	30
8	5/16"	14	128	15	45	30
10	3/8"	16	148	15	45	35

Pressure at room temperature in laboratory / Nominal values without considering manufacturing tolerances.
Depending on technical developments, specifications may be modified without advance notice being given.
Consult us for other diameters, colours and features. Ask our Sales Department about the minimum purchase amounts assigned to non-standard diameters

